

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06K 19/00, G07F 19/00, 7/10, H04L 9/32, 9/30		A1	(11) International Publication Number: WO 98/52151
			(43) International Publication Date: 19 November 1998 (19.11.98)
(21) International Application Number: PCT/SE98/00897		(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 14 May 1998 (14.05.98)			
(30) Priority Data: 9701814-7 15 May 1997 (15.05.97) SE			
(71) Applicant (for all designated States except US): ACCESS SECURITY SWEDEN AB [SE/SE]; Mariebergs Säteri, S-147 92 Grödinge (SE).			
(72) Inventor; and			
(75) Inventor/Applicant (for US only): SJÖBLOM, Hans [SE/SE]; Vårgårdsvägen 51, S-133 36 Saltsjöbaden (SE).			
(74) Agent: AWAPATENT AB; P.O. Box 45086, S-104 30 Stockholm (SE).		Published With international search report. In English translation (filed in Swedish).	

(54) Title: ELECTRONIC TRANSACTION

(57) Abstract

A method and a device for carrying out electronic transactions. A sender produces, under his own full control, a transaction message in a smart card (1) and provides the message with his digital signature in the card for subsequent output and transmission.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

ELECTRONIC TRANSACTIONField of the Invention

The present invention relates to electronic transactions, i.e. primarily payments, which are effected electronically. More specifically, the invention concerns electronic transactions effected while employing a user card, such as a cash card, credit card, charge card, or the like, said card being a so-called smart card.

Background Art

10 In recent years, the interest in electronic transactions has increased significantly, especially concurrently with the impact of the Internet. Security matters have been focused, and different systems and standards have been suggested to guarantee the security in connection with electronic transmission of transaction messages. A matter that has attracted a lot of interest is how to protect, for instance, credit card numbers transmitted via the Internet in connection with Internet shopping. What the systems and standards proposed have in
20 common is that they are based either on the condition that sensitive information that may be misused, for instance a credit card number, is not to be transmitted via the communications network, or on the condition that such sensitive information is to be transmitted in encrypted
25 form. In both alternatives, the relatively complicated administrative routines and system configurations etc. are focused, which, as will be appreciated, results in restrictions and obstacles to a more general use.

Objects of the Invention

30 A main object of the present invention is to facilitate electronic transactions in a simplified fashion while maintaining full security.

A further object is to facilitate different kinds of electronic transactions within the scope of the same
35 basic concept.

One more object is to facilitate electronic transactions independently of the choice of information transfer channel for the used transaction message.

5 A still further object is to facilitate electronic transactions which basically do not require transmission of the used transaction message through a reliable information transfer channel.

Summary of the Invention

10 The above-mentioned objects are achieved by the inventive features that are stated in the accompanying claims.

The invention thus is based on an insight of the advantage of using special transaction messages which, independently and under the user's full control, are
15 created by a user and which are of such nature that they can have been created by the user only, they cannot have been tampered with while being transferred to a receiver or addressee without such tampering being easily recognised (authentication) and can easily be validated after
20 transfer for the purpose of finalising the desired transaction. According to the invention, the sender uses a unique smart card assigned to him, with a private key stored therein (whose public equivalence in an asymmetrical cryptographic system is generally available) in order
25 to provide a transaction message created by the sender with a digital signature which is unique to the sender, whereupon the signed transaction message can be transferred in an arbitrary manner.

Only a lawful user of the smart card can activate
30 this to be signed, thereby satisfying a basic identity requirement. The digital signature further entails a data lock which prevents the message from being tampered with without this being recognised in a subsequent authentication by using the generally available public key, which
35 belongs to the user. The user's independent creating of the transaction message means full control of the contents of the message. The invention thus requires that

sensitive information, such as a card number, in the transmitted transaction message be connected to a digital signature to make the information at issue usable. Without connection to a digital signature, the information thus is basically of no value and consequently cannot be misused for false network transactions, even if the information could be caught by a person not concerned in connection with a transmission of the transaction message. Basically, it is irrelevant how the transmission takes place. This means an approach which is completely opposite to today's striving for the provision of special, reliable, i.e. encrypted, communication systems for transmitting transaction messages via e.g. the Internet.

It is preferred that a transaction message according to the invention contains information on sender, transaction amount and receiver and preferably a variable piece of information, such as a serial number.

According to the invention, the user thus creates what can be said to be a signed "electronic cheque", which can be transmitted in an arbitrary manner and at an arbitrary point of time to an addressee or receiver.

Upon receipt, a transaction message according to the invention can be checked for authenticity by checking the digital signature, whereupon validation and charging or crediting the receiver with the transaction amount at issue can take place in an arbitrary, suitable manner, suitably according to the same principles as apply to the cashing of an ordinary cheque or to clearing in connection with a card purchase.

According to the invention, the transmitted, signed transaction message may contain the required transaction information as plain text, in which case the digital signature can, in a manner known per se, be provided on the basis of a condensate of the message information. This means that the subsequent authentication, validation and crediting on the receiver side will be facilitated since the required information is immediately available, such

as information on sender, which makes it easy to fetch the correct public key for authentication of the digital signature.

5 If the digital signature is effected on the entire transaction message such that this is transmitted in encrypted form, the transmitted transaction message can be provided with special sender information which makes it possible on the receiver side to fetch the correct public key for authentication and conversion of the
10 transaction message into plain text.

According to the invention, the transaction message may contain sender information of an arbitrary, suitable kind, such as at least one of the following pieces of information: a card number, a cash card number, a charge
15 card number, a credit card number, an account number, an invoice number and an ID number. If the smart card utilised according to the invention is a card connected to an account, such as a credit card, it may be preferred to use the associated card number as sender information.
20 As those skilled in the art realise, it is however possible to use any kind of information, which on the receiver side can easily be connected to a user identity and, consequently, to an associated account which is to be charged.

25 For the receiver information, basically the same applies. For instance, at least one of the following pieces of information may be involved: a card number, a cash card number, a charge card number, a credit card number, an account number, an invoice number and an ID
30 number. Also in this case, it is sufficient that the information on the receiver side can be unambiguously related to a receiver of payment. It should be noted that transferring a transaction amount to a receiver need not entail the crediting of a receiver account, but it may
35 also imply that e.g. an administrative unit receiving the transaction message, after authentication and validation,

charges a sender account and sends to the receiver what may be considered a check or a postal order.

As described above, an essential feature of the present invention is that the sender, i.e. the user of the smart card, creates and signs the transaction message under his own control, i.e. basically independently of a connection to a communications network and of a computer dialogue with a receiver, although such a dialogue of course may take place in connection with the transmission of a signed transaction message. Consequently the transaction message is created preferably without connection to the communications network or off-line. This means that the sender fully controls which data are input for creating of the transaction message. As will be appreciated, the signing can be carried out only by the sender since in the normal case he is the only one to be able to activate his smart card and to release the signing. Regarding the transmission or handing over of the signed transmission message there are, however, no restrictions, as will be quite easily appreciated. For example, the user or some person assisting him may take the smart card with the signed transaction message present therein to send the message later, to send the message from some other place etc, that is to say there is a great freedom of choice. The signed transaction message could also be transferred to special intermediate materials or a transport medium to be transmitted to a receiver and/or addressee.

According to the invention, it is advantageous that the transaction message is created in the smart card. The transaction message may suitably be created by means of the software inserted in the smart card in advance and sender information preferably inserted in the card in advance, e.g. a card number. Suitably a new serial number is automatically created for each transaction message. The input of the necessary message information in the card may be carried out in different ways, for in-

stance with the aid of the input means arranged on the smart card, the card advantageously consisting of a so-called advanced smart card. Information that is required for the transaction message can also be input with the aid of a protected card terminal, which advantageously may consist of the user's own terminal or computer provided with a card reader. Information that is necessary for the transaction message can also be input by means of a separate card communication unit, the latter preferably later also serving as card activator. Such a unit can advantageously be designed as a small portable unit, which the user may take along and which is utilised by the user when he wants to activate his card and/or input information in the card in surroundings where no protected card terminal is available.

Information which is required for the transaction message can also be input by means of a telecommunications unit controlled by the smart card, especially a mobile telecommunications unit, such as a mobile telephone device. In this context, the unit may also be used to transfer the signed transaction message, for instance by using a so-called SMS-type service.

The man skilled in the art realises that it is also possible to create the actual transaction message outside the smart card by using, for instance, one of the above-mentioned information input means. The created transaction message is then input in the smart card to be signed.

According to a first aspect of the present invention, a method is provided for carrying out electronic transactions, in which a sender of transaction messages is assigned a smart card with an associated unique identity and a private key stored in the card in a protected manner, and in which an associated public key is kept generally available, said method being characterised in that in connection with an electronic transaction under the sender's own control, preferably through his own

input of message information, the sender creates a transaction message, which contains information necessary for the transaction, and, in his smart card, provides the created transaction message with his digital signature while using his own private key for the purpose of subsequent output and transmission of the transaction message.

According to a second aspect of the present invention, a smart card is provided for carrying out electronic transactions, said card comprising means for storing of card identification information, means for protected storing of a private key, means for storing of an asymmetrical algorithm, means for input of transaction information into the card, processor means for creating in the card a transaction message based on input transaction information, such as information on amount and receiver, and optionally information stored in the card, such as information on sender and preferably a serial number, and for providing the transaction message with a digital signature on the basis of said private key and said asymmetrical algorithm, and means for output of the signed transaction message.

According to a third aspect of the present invention, a combination is provided of a smart card and a user-controlled communication unit, which is arranged for communication with the smart card and with which the card is adapted to be combined with a view to producing an electronic transaction message, the card comprising means for protected storing of a private key, means for storing of an asymmetrical algorithm and processor means for providing a created transaction message with a digital signature based on said private key and said algorithm, and said communication unit comprising means for input of transaction information, and means being arranged in the communication unit and/or in the card for producing said transaction message.

A fourth aspect of the present invention involves use of a smart card with a private key stored therein and

asymmetrical cryptographic algorithm for providing in the card, independently of the communications network, an electronic transaction message provided with a digital signature based on the private key.

5 Additional aspects of distinctive features of the invention will appear from the following detailed description of various embodiments with reference to the accompanying drawings.

Brief Description of the Drawings

10 Fig. 1 is a schematic illustration of an example of the carrying out of electronic transactions by using an open network, such as the Internet, in accordance with an embodiment of the present invention.

15 Fig. 2 is a schematic illustration of the same kind as in Fig. 1, exemplifying alternative ways of carrying out electronic transactions according to the invention.

20 Fig. 3 is a schematic illustration of an example of the carrying out of electronic transactions by using a shop card terminal, according to a different embodiment of the present invention.

Fig. 4 is a schematic illustration of the same kind as in Fig. 3 of another example of the carrying out of electronic transactions by using a shop card terminal, according to the present invention.

25 Fig. 5 is a schematic illustration of an example of the carrying out of electronic transactions by using a mobile telephone system, according to one more embodiment of the present invention.

30 Fig. 6 is a schematic illustration of an example of the carrying out of electronic transactions by using an open network for direct contact with a bank, according to another embodiment of the present invention.

35 Fig. 7 is a schematic illustration of examples showing how an advanced smart card can be used to carry out electronic transactions in accordance with the present invention.

Description of Embodiments

Fig. 1 illustrates schematically a first embodiment of the invention, which can be used for credit card payment via an open network, such as the Internet, between a sender and a receiver included in a network. The sender has access to a smart card 1 and a computer 3 which is provided with a suitable card reader (indicated at 2), and which typically can be a home computer and is connected to the Internet 5. A network server 7 is connected to the network 5 and to various credit card administrators 8 and 9 included in the network. The latter are in conventional manner connected to each other and to various institutions keeping accounts, such as banks 10, 11. In the present example, the sender is supposed to have an account in the bank 10 and a credit card administered by the administrator 8, while the receiver 12 has an account in the bank 11 and a credit card administered by the administrator 9.

A trusted third party (TTP) 13 is network administrator and responsible for the necessary handling of keys. TTP 13 thus assigns to each user his private key which is stored in a protected manner in the user's card 1, and keeps a catalogue 15 available, from which the public key of each user can be collected.

The user's smart card 1, which also has a conventional credit card function, contains in a known manner memory and processor means in the form of one or more integrated circuits (indicated at 17), as well as conventional means for enabling communication between the card and a card reader when the card is placed in the latter.

In addition to the above-mentioned private key, said memory and processor means contain a cryptographic algorithm of an asymmetrical type, which can be a DES algorithm, and software for effecting the signing of a transaction message based on the private key and said cryptographic algorithm. The smart card 1 is activated in an

arbitrary, suitable manner, for instance by means of a PIN input in the card, or biometrically.

When performing a transaction, the card 1 is placed in the card reader 17 of the computer 3 and the card
5 is activated if this has not already been done. A transaction message can now be created in the smart card 1 and/or in the computer 3. If the creation takes place exclusively in the card, which from the viewpoint of security may be preferred, the card also contains software that is suitable for this purpose. In this case, the
10 required information for the transaction message (especially regarding amount and receiver) is input via the keyboard of the computer 3 into the card.

If the actual transaction message is created in
15 the computer, this has been provided with the software required for this purpose, which is suitably supplied to the user in connection with the issuance of the smart card. Also in this case, message information is input via the keyboard.

20 It is advantageous to use as sender information a card identification, such as the number of the smart card, which is automatically supplied by the card as the transaction message is being created. As receiver information the card number of the receiver can advantageously
25 be input.

After creating the transaction message, it should be provided with a serial number and signed, which, as mentioned above, is effected in the card. If the actual message has been created in the card, it may be desirable,
30 with a view to restricting the software that must be available in the card, to effect the digital signature on the actual message, whereby the message obtains the form of cryptographic text. The signed message which is then transferred must be able to supply information on the
35 sender, thereby making it possible to collect the public key necessary for authentication, as will be described below. Especially if the transaction message is created

in the sender's own protected computer, it may be suitable to generate the digital signature on a condensate of the actual message, which will be available as plain text and also can be transmitted as plain text.

5 The signed transaction message can now advantageously be given the form of e-mail and then be transmitted via the network 5 to the network server 7.

10 If the transaction message is available as plain text, the server 7 can, based on the information in the transaction message, directly send the signed message either to the sender's or the receiver's card administrator 8, 9, respectively, for the purposes of authentication and, if authenticity has been established, subsequent validation, charging the sender and crediting the
15 sender with the transaction amount involved, while applying a suitable clearing procedure.

20 The authentication means that, for instance, the sender's card administrator fetches the sender's public key from a key catalogue of his own or the catalogue 15 of TTP 13 and, by means thereof and of the cryptographic algorithm involved, checks the digital signature of the message.

25 If the message received by the server is not available as plain text, the server 7 fetches from the catalogue 15 the public key belonging to the sender who can be identified by the received, signed transaction message, e.g. on the basis of special sender information such as a network identity or Internet identity. After conventional decrypting of the message by using the
30 fetched public key, the server 7 has access to the information of the message as plain text and can send the message on for authentication etc, as mentioned above.

35 One more alternative is to provide the message sent on the network 5 with a stated address of the authorised card administrator, for instance 8, such that the server can directly direct the message to him for continued processing as described above. If the signed message is not

available as plain text, the received message must also in this case provide such information that the correct public key can be fetched for authentication and decryption of the actual message.

5 Fig. 2 illustrates schematically a second embodiment of the invention, which uses basically the same configuration as in Fig. 1, although the transaction message from the sender is transmitted directly to a receiver's computer 21 via the network 5. The receiver sends the
10 message on, which can be carried out via the network to the server 7, as indicated by the arrow 23, or by some other route as indicated by the arrow 25.

In this embodiment, it may be convenient that the actual message is available as plain text, such that the
15 receiver can see the information therein even if he does not have immediate access to the sender's public key for authentication or decryption of the digital signature. If needed, the signed message can however be encrypted by the sender with a public key belonging to the receiver,
20 in which case the receiver upon receipt decrypts the message by using his own private key and the associated cryptographic algorithm and then forwards the decrypted, but still signed message.

In case of a transport route 25 other than the network 5, it may be advantageous to use intermediate materials, for instance a disk (indicated at 26), which in some suitable and reliable manner, the receiver hands over to his card administrator or bank for continued processing in accordance with that described above. It will
30 be appreciated that the receiver can collect a number of received transaction messages on such intermediate materials before taking steps for the continued processing.

Fig. 3 illustrates schematically an embodiment of the invention which is suited for transactions via a
35 foreign "terminal" 31 and which uses a user-controlled portable unit 33 for creating a transaction message.

The unit 33 consists of a combined activator and information inputting means for the smart card. The unit 33 is in a suitable manner arranged for communication with the card 1, for instance by comprising an integrated card reader, into which the card is inserted. The unit 33 further has a keyboard and a display.

When paying in e.g. a shop, the card is inserted in the unit 33 and activated, for instance, by inputting a PIN code by means of the keyboard of the unit. By means of the keyboard, the necessary payment information is also input, such as amount and receiver. If the transaction message is both created and signed in the actual card, the actual information will be transferred to the card. If the actual message and optionally a condensate thereof are to be created in the unit 33 for the purposes of transferring to and signing in the card 1, the unit is provided with processor means and the software required for this purpose.

The card with the signed transaction message is now removed from the unit 33 and inserted into the shop's reader/terminal 31, from which the message is transmitted for continued processing in the same manner as described above. Accepted authentication and validation may suitably result in a receipt being sent back to the terminal.

It will be appreciated that the terminal 31 could, of course, communicate with the server 7 in some other manner than via the network 5, for instance via a protected connection.

Fig. 4 illustrates a variant of the embodiment shown in Fig. 3. The unit 33 in Fig. 3 is replaced by a protected, preferably off-line computer or terminal 43, which can be arranged in, for instance, a shop and permits off-line, secure creation of a transaction message in a way similar to that described in connection with Fig. 3, for the purposes of input in a shop card terminal 31.

Fig. 5 illustrates an embodiment of the present invention which involves the use of a mobile telephone device 51 and an associated mobile telephone network 55. The mobile telephone device comprises, in addition to a mobile telephone function, also such an activating and input function as described in connection with the unit 33 in Fig. 3. The mobile telephone function is preferably also controlled by the smart card.

With the aid of the telephone function, the signed transaction message is transmitted to a unit or central unit 57, which effects continued processing of the transaction message, for instance, in accordance with that described in connection with the preceding Figures.

The transmission of the transaction message can advantageously take place while using a so-called SMS service or the like of the mobile telephone network.

The unit 57 could also be a special central unit, which after authentication etc. effects payments based on the received transaction messages.

Fig. 6 illustrates an embodiment of the present invention which advantageously can be used to effect payment orders. At a sender's, i.e. payer's place, signed transaction messages are created as described, in this case exemplified with the same method as in Fig. 1. The transaction message is transmitted to the sender's bank 10 keeping the account, which in a catalogue 60 has access to the sender's public key. It will be appreciated that the bank could be card issuer and key administrator and that the sender information in the transaction message can suitably consist of the sender's bank account number.

Upon receipt of a transaction message and authentication thereof, the sender's bank 10 provides for, by a clearing procedure, the payee, who is identified in the transaction message suitably by the associated bank account number, being credited with the amount at issue.

15

i.e. the receiver's account in the receiver's bank 11 being credited with the amount at issue.

Another alternative possibility is that the sender's bank 10 sends a delivery order directly to the receiver 12 based on, for instance, receiver information in the transaction message. This alternative is indicated by means of the dashed line 62 in Fig. 6.

In the embodiment according to Fig. 6 it may be convenient to encrypt the transmitted, signed transaction message, thereby increasing the security. The sender then uses the public key of the bank 10 and preferably the same cryptographic algorithm as is used for signing. As will be appreciated, the bank 10 can immediately carry out decryption by using its private key.

If the bank 10 is administrator of the sender's pair of keys, i.e. has both the public key and the private key belonging to the sender, the sender can alternatively carry out the encryption of the signed message with the aid of his public key. The bank 10 can then decrypt the transmitted message by using the sender's private key, which is collected from a catalogue, before authentication is carried out by using the sender's public key.

Finally, Fig. 7 illustrates schematically the use of a so-called advanced smart card in connection with the invention. The advanced smart card 71 also has a keyboard and a display, which allows that a signed transaction message can be created in the card completely without external aids. Subsequently the card can be inserted into e.g. a computer or a terminal for the purposes of forwarding the message and continued processing in accordance with that described above.

Although the invention has been illustrated by a number of embodiments, the invention is of course not restricted thereto, and changes and modifications are feasible within the scope of the appended claims. Thus, individual features from the various embodiments may be brought together in new combinations within the scope of the inventive idea.

CLAIMS

1. A method for performing electronic trans-
5 actions, in which a sender of transaction messages is
assigned a smart card with an associated unique identity
and a private key stored in the card in a protected man-
ner, and in which an associated public key is kept gene-
rally available, c h a r a c t e r i s e d in that in
10 connection with an electronic transaction under the
sender's own control, preferably through his own input
of message information, the sender creates a transaction
message, which contains information necessary for the
transaction, and, in his smart card, provides the created
15 transaction message with his digital signature while
using his own private key for subsequent output and
transmission of the transaction message.

2. A method as claimed in claim 1, c h a r a c -
t e r i s e d in that the transaction message contains
20 information on sender, receiver, amount and preferably
a transaction serial number.

3. A method as claimed in claim 1 or 2, c h a r -
a c t e r i s e d in that the transaction message is
created off-line, i.e. not connected to the communica-
25 tions network that is used for the subsequent transmis-
sion of the transaction message.

4. A method as claimed in claim 3, c h a r a c -
t e r i s e d in that the transaction message is created
off-line.

30 5. A method as claimed in any one of the preceding
claims, c h a r a c t e r i s e d in that the transaction
message is created in the smart card.

6. A method as claimed in claim 5, c h a r a c -
t e r i s e d in that the transaction message is created
35 with the aid of software inserted in the smart card in
advance and preferably also sender information inserted .
in the card in advance.

7. A method as claimed in claim 5 or 6, characterised in that information required for the transaction message is input with the aid of input means arranged on the smart card, the card preferably being a
5 so-called advanced smart card.

8. A method as claimed in any one of claims 1-6, characterised in that information necessary for the transaction message is input with the aid of a protected card terminal.

10 9. A method as claimed in any one of claims 1-6, characterised in that information necessary for the transaction message is input with the aid of a separate card communication unit, the latter preferably also being a card activator.

15 10. A method as claimed in any one of claims 1-6, characterised in that information necessary for the transaction message is input with the aid of a telecommunications unit controlled by the smart card, especially a mobile telecommunications unit such as a
20 mobile phone.

11. A method as claimed in any one of the preceding claims, characterised in that the transaction message contains sender information in the form of at least one of the following pieces of information: a card
25 number, a cash card number, a charge card number, a credit card number, an account number, an invoice number and an ID number.

12. A method as claimed in any one of the preceding claims, characterised in that the transaction
30 message contains receiver information in the form of at least one of the following pieces of information: a card number, a cash card number, a charge card number, a credit card number, an account number, an invoice number and an ID number.

35 13. A method as claimed in any one of the preceding claims, characterised in that the signed transaction message is sent to a card or account admini-

strator regarding the sender or receiver, that the digital signature of the transaction message is authenticated by using the public key, which is assigned to the one who is identified as sender by the transmitted transaction message, and that in case of authenticity, the receiver is credited with the transaction amount by a clearing process.

14. A method as claimed in claim 13, characterised in that the signed transaction message is first sent to the receiver, who optionally after his own checking of the digital signature of the message forwards the signed transaction message to said card or account administrator.

15. A method as claimed in any one of claims 1-12, characterised in that the signed transaction message is encrypted by using a public key belonging to the addressee, to whom the transaction message is sent, that the encrypted, signed transaction message is sent to the addressee, that the addressee by using his private key decrypts the signed transaction message, that the digital signature of the transaction message is authenticated by using the public key which is assigned to the one who is identified as sender by the transmitted transaction message, and that the receiver, in case of authenticity, is credited with the transaction amount by a clearing process.

16. A method as claimed in claim 15, characterised in that the addressee is the receiver, that the receiver, after decryption, sends the signed transaction message to a card or account administrator, whereupon said authentication takes place.

17. A method as claimed in any one of claims 1-12, characterised in that the signed transaction message is encrypted by using the sender's public key and is provided with sender information and is then sent to a card or account administrator, who has the sender's private key and who preferably has issued the user's smart

card, that said administrator decrypts the received encrypted message by using said private key, that authentication of the digital signature of the decrypted transaction message takes place by using the public key, which
5 is assigned to the one who is identified as sender by the transmitted transaction message, and that the receiver, in case of authenticity, is credited with the transaction amount by a clearing process.

18. A method as claimed in any one of claims 1-14,
10 characterised in that the signed transaction message is sent non-encrypted, especially via a public communications network, such as the Internet or a telecommunications network.

19. A method as claimed in any one of the preceding claims, characterised in that the signed transaction message is sent by e-mail.

20. A method as claimed in any one of claims 1-18, characterised in that the signed transaction message is sent via a mobile telephone network, especially
20 by using a so-called SMS service.

21. A smart card for carrying out electronic transactions, comprising means for storing card identification information, means for protected storing of a private key, means for storing an asymmetrical algorithm, means
25 for input of transaction information into the card, processor means for creating in the card a transaction message based on input transaction information, such as information on amount and receiver, and optionally information stored in the card, such as information on sender
30 and preferably a serial number, and for providing the transaction message with a digital signature on the basis of said private key and said asymmetrical algorithm, and means for output of the signed transaction message.

22. A card as claimed in claim 21, characterised
35 terised in that it is of a so-called advanced type.


23. A combination of a smart card and a user-controlled communication unit, which is arranged for commu-

5 nication with the smart card and with which the card is adapted to be combined with a view to producing an electronic transaction message, the card comprising means for protected storing of a private key, means for storing an asymmetrical algorithm and processor means for providing a created transaction message with a digital signature based on said private key and said algorithm, and said communication unit comprising means for input of transaction information, and means being arranged in the communication unit and/or in the card for creating said transaction message.

24. A combination as claimed in claim 23, characterised in that the communication unit is a mobile telecommunication device.

15 25. A combination as claimed in claim 23, characterised in that the communication unit is a combined card activator and information inputter/processor.

20 26. Use of a smart card with a private key stored therein for providing, independently of the communications network, an electronic transaction message provided with a digital signature based on the private key.



2/7





Fig. 2



4/7




Fig. 4




Fig. 5

6/7




Fig. 6

7/7




Fig. 7

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/00897

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: G06K 19/00, G07F 19/00, G07F 7/10, H04L 9/32, H04L 9/30 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: G06K, G07F, H04L		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
WPI, EPODOC, PAJ		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0214609 A2 (HITACHI, LTD.), 18 March 1987 (18.03.87), column 26, step 5010, column 28, step 5090, column 30, line 38 - line 46	1-4,10-20
Y	--	5-9
X	US 4926480 A (D. CHAUM), 15 May 1990 (15.05.90), column 7, line 1 - line 13, figure 1	21-26
Y	--	5-7
Y	US 5130519 A (G. BUSH ET AL), 14 July 1992 (14.07.92), column 5, line 49 - line 59, figure 2	8-9
A	--	21-26
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
1 Sept 1998		03-09-1998
Name and mailing address of the ISA Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86		Authorized officer Henrik Bodin Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/00897

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0166541 A2 (KABUSHIKI KAISHA TOSHIBA), 2 January 1986 (02.01.86), abstract --	1,21
A	EP 0385400 A2 (ATALLA CORPORATION), 5 Sept 1990 (05.09.90), abstract --	1
A	US 5502765 A (G. ISHIGURO ET AL), 26 March 1996 (26.03.96), abstract --	1,21-26
A	US 4849613 A (R.H. EISELE), 18 July 1989 (18.07.89), abstract --	1-26
P,A	US 5721781 A (V. DEO ET AL), 24 February 1998 (24.02.98), abstract --	1-26
E,A	WO 9825220 A1 (INSTITUTE OF SYSTEMS SCIENCE), 11 June 1998 (11.06.98), abstract -- -----	1-26

INTERNATIONAL SEARCH REPORT
Information on patent family members

27/07/98

International application No.
PCT/SE 98/00897

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0214609 A2	18/03/87	DE 3687934 A JP 62056043 A US 4885777 A US 5018196 A	15/04/93 11/03/87 05/12/89 21/05/91
US 4926480 A	15/05/90	AT 156639 T AU 3771489 A DE 68928240 D EP 0418328 A,B EP 0773647 A JP 3505032 T WO 8911762 A DE 3485804 A EP 0139313 A,B SE 0139313 T3 US 4759063 A	15/08/97 12/12/89 00/00/00 27/03/91 14/05/97 31/10/91 30/11/89 13/08/92 02/05/85 19/07/88
US 5130519 A	14/07/92	US 5265162 A	23/11/93
EP 0166541 A2	02/01/86	JP 61009052 A US 4823388 A	16/01/86 18/04/89
EP 0385400 A2	05/09/90	SE 0385400 T3 AU 615832 B AU 5052790 A CA 2010345 A DE 69019037 D,T JP 3067355 A US 4965568 A	10/10/91 06/09/90 01/09/90 12/10/95 22/03/91 23/10/90
US 5502765 A	26/03/96	EP 0588339 A JP 6103425 A US 5396558 A US 5446796 A JP 6103426 A JP 6162289 A JP 6162287 A JP 6161354 A	23/03/94 15/04/94 07/03/95 29/08/95 15/04/94 10/06/94 10/06/94 07/06/94
US 4849613 A	18/07/89	AU 573872 B AU 4538085 A DE 3417766 A DK 208185 A EP 0172314 A JP 61033574 A	23/06/88 29/01/87 14/11/85 13/11/85 26/02/86 17/02/86
US 5721781 A	24/02/98	NONE	
WO 9825220 A1	11/06/98	NONE	